

# 銅丸管 C1220T

調質はご確認下さい

外径 (Φ)	×	厚み (t)	×	定尺 (m/m)	定尺重量 (kg)
1.6	×	0.3	×	2000	
2	×	0.35	×	〃	
2.5	×	0.4	×	〃	
3	×	0.5	×	2500	
3	×	0.8	×	5000	
3.2	×	0.5	×	2500	
3.5	×	0.5	×	〃	
4	×	0.5	×	4000	
4	×	0.8	×	5000	0.358
4	×	1.0	×	〃	0.420
4.5	×	0.5	×	2500	
4.76	×	0.8	×	5000	0.444
5	×	0.5	×	〃	0.315
5	×	0.8	×	〃	0.470
5	×	1.0	×	〃	0.560
6	×	0.5	×	〃	0.385
6	×	0.8	×	〃	0.582
6	×	1.0	×	〃	0.700
6	×	1.2	×	〃	0.806
6	×	1.5	×	〃	0.945
6	×	2.0	×	〃	1.120
6.35	×	0.8	×	〃	0.622
6.35	×	1.0	×	〃	0.749
7	×	1.0	×	〃	0.840
7	×	1.5	×	〃	1.155
8	×	0.5	×	〃	0.525
8	×	0.8	×	〃	0.806
8	×	1.0	×	〃	0.980
8	×	1.2	×	〃	1.142

外径 (Φ)	×	厚み (t)	×	定尺 (m/m)	定尺重量 (kg)
8	×	1.5	×	5000	1.365
8	×	2.0	×	〃	1.680
9	×	1.0	×	〃	1.120
9	×	1.5	×	〃	1.575
9.53	×	0.6	×	〃	0.750
9.53	×	0.8	×	〃	0.978
9.53	×	1.0	×	〃	1.194
9.53	×	1.2	×	〃	1.399
9.53	×	1.5	×	〃	1.686
9.53	×	2.0	×	〃	2.108
10	×	0.5	×	〃	0.665
10	×	0.8	×	〃	1.030
10	×	1.0	×	〃	1.260
10	×	1.2	×	〃	1.478
10	×	1.5	×	〃	1.785
10	×	1.6	×	〃	1.882
10	×	2.0	×	〃	2.240
11	×	1.0	×	〃	1.400
12	×	0.8	×	〃	1.254
12	×	1.0	×	〃	1.540
12	×	1.2	×	〃	1.814
12	×	1.5	×	〃	2.205
12	×	1.6	×	〃	2.330
12	×	2.0	×	〃	2.800
12	×	3.0	×	〃	3.780
12.7	×	0.6	×	〃	1.016
12.7	×	0.8	×	〃	1.333
12.7	×	1.0	×	〃	1.638
12.7	×	1.2	×	〃	1.932

# 銅丸管 C1220T

調質はご確認下さい

外径 (Φ)	厚み (t)	定尺 (m/m)	定尺重量 (kg)
12.7	× 1.5	× 5000	2.352
12.7	× 2.0	× "	2.996
12.7	× 3.0	× "	4.074
13	× 2.0	× "	3.080
14	× 1.0	× "	1.820
14	× 1.5	× "	2.625
14	× 2.0	× "	3.360
14	× 3.0	× "	4.620
15	× 1.0	× "	1.960
15	× 1.2	× "	2.318
15	× 1.5	× "	2.835
15	× 2.0	× "	3.640
15	× 3.0	× "	5.040
15.88	× 0.6	× "	1.284
15.88	× 0.7	× "	1.488
15.88	× 0.8	× "	1.689
15.88	× 1.0	× "	2.083
15.88	× 1.2	× "	2.466
15.88	× 1.5	× "	3.020
15.88	× 2.0	× "	3.886
15.88	× 3.0	× "	5.410
16	× 1.0	× "	2.100
16	× 1.2	× "	2.486
16	× 1.5	× "	3.045
16	× 2.0	× "	3.920
16	× 4.0	× "	6.720
17	× 2.0	× "	4.200
18	× 1.0	× "	2.380
18	× 1.2	× "	2.822

外径 (Φ)	厚み (t)	定尺 (m/m)	定尺重量 (kg)
18	× 1.5	× 5000	3.465
18	× 2.0	× "	4.480
18	× 3.0	× "	6.300
19	× 1.5	× "	3.675
19	× 2.0	× "	4.760
19	× 3.0	× "	6.720
19	× 4.0	× "	8.400
19	× 5.0	× "	9.800
19.05	× 0.8	× "	2.044
19.05	× 1.0	× "	2.527
19.05	× 1.2	× "	2.999
20	× 1.0	× "	2.660
20	× 1.2	× "	3.158
20	× 1.5	× "	3.885
20	× 2.0	× "	5.040
20	× 2.5	× "	6.125
20	× 3.0	× "	7.140
20	× 4.0	× "	8.960
20	× 5.0	× "	10.500
22	× 1.0	× "	2.940
22	× 1.5	× "	4.305
22	× 2.0	× "	5.600
22	× 3.0	× "	7.980
22	× 4.0	× "	10.080
22	× 5.0	× "	11.900
22.22	× 0.8	× "	2.399
22.22	× 1.0	× "	2.971
22.22	× 1.2	× "	3.531
22.22	× 1.5	× "	4.351

# 銅丸管 C1220T

調質はご確認下さい

外径 (Φ)	×	厚み (t)	×	定尺 (m/m)	定尺重量 (kg)
24	×	2.0	×	5000	6.160
25	×	1.0	×	〃	3.360
25	×	1.2	×	〃	3.998
25	×	1.5	×	〃	4.935
25	×	2.0	×	〃	6.440
25	×	3.0	×	〃	9.240
25	×	4.0	×	〃	11.760
25	×	5.0	×	〃	14.000
25.4	×	1.0	×	〃	3.416
25.4	×	1.2	×	〃	4.066
25.4	×	1.5	×	〃	5.019
25.4	×	2.0	×	〃	6.552
25.4	×	3.0	×	〃	9.408
27.0	×	3.0	×	〃	10.080
28	×	1.0	×	〃	3.780
28	×	1.5	×	〃	5.565
28	×	2.0	×	〃	7.280
28	×	3.0	×	〃	10.500
28.58	×	1.0	×	〃	3.861
28.58	×	1.2	×	〃	4.600
28.58	×	1.5	×	〃	5.687
28.58	×	2.0	×	〃	7.442
28.58	×	3.0	×	〃	10.744
30	×	1.0	×	〃	4.060
30	×	1.5	×	〃	5.985
30	×	2.0	×	〃	7.840
30	×	3.0	×	〃	11.340
30	×	4.0	×	〃	14.560
30	×	5.0	×	〃	17.500

外径 (Φ)	×	厚み (t)	×	定尺 (m/m)	定尺重量 (kg)
31.75	×	1.0	×	5000	4.305
31.75	×	1.2	×	〃	5.132
31.75	×	1.5	×	〃	6.353
31.75	×	2.0	×	〃	8.330
31.75	×	3.0	×	〃	12.075
31.75	×	5.0	×	〃	18.725
32	×	2.0	×	〃	8.400
34	×	2.0	×	〃	8.960
34	×	3.0	×	〃	13.020
35	×	1.5	×	〃	7.035
35	×	2.0	×	〃	9.240
35	×	3.0	×	〃	13.440
35	×	5.0	×	〃	21.000
38	×	1.5	×	〃	7.665
38	×	2.0	×	〃	10.080
38	×	3.0	×	〃	14.700
38	×	5.0	×	〃	23.100
38.1	×	1.0	×	〃	5.194
38.1	×	1.2	×	〃	6.199
40	×	1.5	×	〃	8.085
40	×	2.0	×	〃	10.640
40	×	3.0	×	〃	15.540
40	×	4.0	×	〃	20.160
40	×	5.0	×	〃	24.500
41.28	×	1.2	×	〃	6.733
41.28	×	1.5	×	〃	8.354
41.28	×	2.0	×	〃	10.998
44.5	×	1.5	×	〃	9.030
44.5	×	2.0	×	〃	11.900

# 銅丸管 C1220T

調質はご確認下さい

外径 (Φ)	×	厚み (t)	×	定尺 (m/m)	定尺重量 (kg)
45	×	5.0	×	5000	28.000
48.6	×	3.0	×	〃	19.152
50	×	1.5	×	〃	10.185
50	×	2.0	×	〃	13.440
50	×	3.0	×	〃	19.740
50	×	4.0	×	〃	25.760
50	×	5.0	×	〃	31.500
50.8	×	1.2	×	〃	8.333
50.8	×	1.5	×	〃	10.353
50.8	×	2.0	×	〃	13.664
50.8	×	5.0	×	〃	32.060
55	×	2.0	×	〃	14.840
55	×	3.0	×	〃	21.840
55	×	5.0	×	〃	35.000
57.1	×	3.0	×	〃	22.722
60	×	1.5	×	〃	12.285
60	×	2.0	×	〃	16.240
60	×	3.0	×	〃	23.940
60	×	5.0	×	〃	38.500
63.5	×	3.0	×	〃	25.410
70	×	2.0	×	〃	19.040
70	×	3.0	×	〃	28.140
70	×	5.0	×	〃	45.500
76.2	×	1.5	×	〃	15.687
76.2	×	2.0	×	〃	20.776
76.2	×	3.0	×	〃	30.744
76.2	×	5.0	×	〃	49.840
80	×	3.0	×	〃	32.340
80	×	5.0	×	〃	52.500

外径 (Φ)	×	厚み (t)	×	定尺 (m/m)	定尺重量 (kg)
82.5	×	5.0	×	5000	54.250
88.9	×	2.0	×	〃	24.332
88.9	×	3.0	×	〃	36.078
88.9	×	5.0	×	〃	58.730
100	×	5.0	×	〃	66.500
101.6	×	2.0	×	〃	27.888
101.6	×	3.0	×	〃	41.412
101.6	×	5.0	×	〃	67.620
110	×	3.0	×	〃	44.940
110	×	5.0	×	〃	73.500
114.3	×	3.0	×	〃	46.746
114.3	×	5.0	×	〃	76.510
120	×	3.0	×	〃	49.140
120	×	5.0	×	〃	80.500
130	×	5.0	×	〃	87.500
140	×	3.0	×	〃	57.540
140	×	5.0	×	〃	94.500
150	×	3.0	×	〃	61.740
150	×	5.0	×	〃	101.50