

SUS304 板材(2B・NO.1) JIS G 4305 JIS G 4304

単位:kg/枚

寸法 板厚	1000mm×2000mm	1219mm×2438mm	1524mm×3048mm	1524mm×4000mm	2000mm×4000mm	2100mm×6100mm
0.3	2B 4.76					
0.4	2B 6.34					
0.5	2B 7.93	2B 11.8				
0.6	2B 9.52	2B 14.1				
0.7	2B 11.1	2B 16.5				
0.8	2B 12.7	2B 18.9				
★ 1.0	2B 15.9	2B 23.6	2B 36.8	2B 48.3		
★ 1.2	2B 19.0	2B 28.3	2B 44.2	2B 58.0		
★ 1.5	2B 23.8	2B 35.4	2B 55.3	2B 72.5		
★ 2.0	2B 31.7	2B 47.1	2B 73.7	2B 96.7		
★ 2.5	2B 39.7	2B 58.9	2B 92.1	2B 121		
★ 3.0	2B NO.1 47.6	2B NO.1 70.7	2B NO.1 111	2B NO.1 145		
★ 3.5	2B NO.1 55.5					
★ 4.0	2B NO.1 63.4	2B NO.1 94.3	2B NO.1 147	2B NO.1 193	NO.1 254	
★ 4.5	2B NO.1 71.4	NO.1 106	NO.1 166	NO.1 218		
★ 5.0	2B NO.1 79.3	2B NO.1 118	2B NO.1 184	2B NO.1 242	NO.1 317	
★ 6.0	2B NO.1 95.2	2B NO.1 141	2B NO.1 221	2B NO.1 290	NO.1 381	
★ 7.0	NO.1 111		NO.1 258	NO.1 338	NO.1 444	
★ 8.0	NO.1 127	NO.1 189	NO.1 295	NO.1 387	NO.1 508	NO.1 813
★ 9.0	NO.1 143	NO.1 212	NO.1 332	NO.1 435	NO.1 571	NO.1 914
★ 10.0	NO.1 159	NO.1 236	NO.1 368	NO.1 483	NO.1 634	NO.1 1016
★ 12.0	NO.1 190	NO.1 283	NO.1 442	NO.1 580	NO.1 761	NO.1 1219
★ 14.0	NO.1 222	NO.1 330	NO.1 516	NO.1 677	NO.1 888	NO.1 1422
★ 15.0	NO.1 238	NO.1 354	NO.1 553	NO.1 725	NO.1 952	
★ 16.0	NO.1 254	NO.1 377	NO.1 589	NO.1 773	NO.1 1015	NO.1 1625
★ 18.0			NO.1 663	NO.1 870	NO.1 1142	
★ 19.0			NO.1 700	NO.1 918	NO.1 1205	NO.1 1930
★ 20.0			NO.1 737	NO.1 967	NO.1 1269	NO.1 2032
★ 22.0			NO.1 810	NO.1 1064	NO.1 1396	NO.1 2235
★ 25.0			NO.1 921	NO.1 1209	NO.1 1586	NO.1 2540
★ 28.0			NO.1 1031	NO.1 1354	NO.1 1776	NO.1 2844
★ 30.0			NO.1 1105	NO.1 1450	NO.1 1903	NO.1 3047
★ 32.0				NO.1 1547	NO.1 2030	NO.1 3251
★ 35.0				NO.1 1692	NO.1 2220	NO.1 3555
★ 38.0				NO.1 1837	NO.1 2411	
★ 40.0				NO.1 1934	NO.1 2538	NO.1 4063
★ 42.0					NO.1 2664	
★ 45.0				NO.1 2175	NO.1 2855	NO.1 4571
★ 50.0				NO.1 2417	NO.1 3172	NO.1 5079
★ 55.0				NO.1 2659	NO.1 3489	
★ 60.0				NO.1 2900	NO.1 3806	
★ 65.0				NO.1 3142	NO.1 4124	
★ 70.0				NO.1 3384	NO.1 4441	
★ 75.0				NO.1 3626	NO.1 4758	
★ 80.0				NO.1 3867	NO.1 5075	
★ 85.0				NO.1 4109	NO.1 5392	
★ 90.0				NO.1 4350	NO.1 5710	
★ 100.0				NO.1 4834	NO.1 6344	

注) ●: 片面#400研磨品 ●: HL-SPV在庫品有り 他に、#600、#700、ウロコ研磨、パイブレーション研磨等も対応可能です。

注) ★印: 切断可能商品です。




SUS304L 板材(2B・NO.1) JIS G 4305 JIS G 4304

単位:kg/枚

寸法 板厚	1000mm×2000mm		1219mm×2438mm		1524mm×3048mm		1524mm×4000mm		2000mm×4000mm	
1.0	2B	15.9	2B	23.6						
1.5	2B	23.8	2B	35.4	2B	55.3	2B	72.5		
★ 2.0	2B	31.7	2B	47.1	2B	73.7	2B	96.7		
★ 3.0	2B NO.1	47.6	2B NO.1	70.7	2B NO.1	111	2B NO.1	145		
★ 4.0	2B NO.1	63.4	2B NO.1	94.3	2B NO.1	147	2B NO.1	193		
★ 5.0	NO.1	79.3	NO.1	118	NO.1	184	NO.1	242		
★ 6.0	NO.1	95.2	NO.1	141	NO.1	221	NO.1	290		
★ 8.0			NO.1	189	NO.1	295	NO.1	387		
★ 9.0			NO.1	212	NO.1	332	NO.1	435		
★ 10.0					NO.1	368	NO.1	483	NO.1	634
★ 12.0					NO.1	442	NO.1	580	NO.1	761
★ 14.0							NO.1	677	NO.1	888
★ 15.0							NO.1	725	NO.1	952
★ 16.0							NO.1	773	NO.1	1015
★ 18.0									NO.1	1142
★ 19.0									NO.1	1205
★ 20.0									NO.1	1269
★ 22.0							NO.1	1064	NO.1	1396
★ 25.0									NO.1	1586
★ 28.0							NO.1	1354	NO.1	1776
★ 30.0									NO.1	1903
★ 32.0									NO.1	2030
★ 35.0									NO.1	2220
★ 38.0									NO.1	2411
★ 40.0									NO.1	2538
★ 45.0									NO.1	2855
★ 50.0									NO.1	3172

注) ★印 : 切断可能商品です。

■ 表面仕上げ(参考写真)



注) 日本冶金工業株式会社 サンプル材を使用。

SUS316 板材(2B・NO.1) JIS G 4305 JIS G 4304

単位:kg/枚

寸法 板厚	1000mm×2000mm	1219mm×2438mm	1524mm×3048mm	1524mm×4000mm	2000mm×4000mm	1524mm×6100mm (※印は2100mm幅)
★ 0.5	2B 7.98					
0.6	2B 9.58	2B 14.2				
0.8	2B 12.8	2B 19.0				
1.0	2B 16.0	2B 23.7	2B 37.1			
1.2	2B 19.2	2B 28.5	2B 44.5			
★ 1.5	2B 23.9	2B 35.6	2B 55.6			
★ 2.0	2B 31.9	2B 47.4	2B 74.1	2B 97.3		
★ 2.5	2B 39.9	2B 59.3	2B 92.7	2B 122		
★ 3.0	2B NO.1 47.9	2B NO.1 71.1	2B NO.1 111	2B NO.1 146		NO.1 223
★ 4.0	2B NO.1 63.8	2B NO.1 94.9	2B NO.1 148	2B NO.1 195		NO.1 297
★ 5.0	2B NO.1 79.8	2B NO.1 119	2B NO.1 185	2B NO.1 243		NO.1 371
★ 6.0	2B NO.1 95.8	2B NO.1 142	2B NO.1 222	2B NO.1 292	NO.1 383	※NO.1 445
★ 7.0				NO.1 341		※ 613
★ 8.0	NO.1 128	NO.1 190	NO.1 297	NO.1 389	NO.1 511	
★ 9.0	NO.1 144	NO.1 213	NO.1 334	NO.1 438	NO.1 575	
★ 10.0	NO.1 160	NO.1 237	NO.1 371	NO.1 486	NO.1 638	
★ 12.0	NO.1 192		NO.1 445	NO.1 584	NO.1 766	
★ 14.0			NO.1 519	NO.1 681	NO.1 894	
★ 15.0			NO.1 556	NO.1 730	NO.1 958	
★ 16.0			NO.1 593	NO.1 778	NO.1 1021	
★ 18.0			NO.1 667	NO.1 876	NO.1 1149	
★ 19.0			NO.1 704	NO.1 924	NO.1 1213	
★ 20.0				NO.1 973	NO.1 1277	
★ 22.0			NO.1 816	NO.1 1070	NO.1 1404	
★ 25.0				NO.1 1216	NO.1 1596	
★ 28.0			NO.1 1038		NO.1 1788	
★ 30.0			NO.1 1112		NO.1 1915	
★ 32.0			NO.1 1186		NO.1 2043	
★ 35.0			NO.1 1297		NO.1 2234	
★ 38.0			NO.1 1409		NO.1 2426	
★ 40.0			NO.1 1483		NO.1 2554	
★ 45.0			NO.1 1668		NO.1 2873	
★ 50.0			NO.1 1853		NO.1 3192	
★ 55.0			NO.1 2039		NO.1 3511	
★ 60.0			NO.1 2224		NO.1 3830	
★ 65.0			NO.1 2409		NO.1 4150	
★ 70.0					NO.1 4469	
★ 75.0					NO.1 4788	
★ 80.0					NO.1 5107	
★ 85.0					NO.1 5426	
★ 90.0					NO.1 5746	
★ 100.0					NO.1 6384	

注) ★印 : 切断可能商品です。

SUS316L 板材(2B・NO.1) JIS G 4305 JIS G 4304

単位:kg/枚

寸法 板厚	1000mm×2000mm	1219mm×2438mm	1524mm×3048mm	1524mm×4000mm	2000mm×4000mm	1524mm×6100mm (※印は2100mm幅)
0.5	2B 7.98					
0.6	2B 9.58					
0.8	2B 12.8	2B 19.0				
1.0	2B 16.0	2B 23.7	2B 37.1			
1.2	2B 19.2	2B 28.5	2B 44.5			
★ 1.5	2B 23.9	2B 35.6	2B 55.6			
★ 2.0	2B 31.9	2B 47.4	2B 74.1	2B 97.3		
★ 2.5	2B 39.9	2B 59.3	2B 92.7	2B 122		
★ 3.0	2B NO.1 47.9	2B NO.1 71.1	2B NO.1 111	2B NO.1 146		NO.1 223
★ 4.0	2B NO.1 63.8	2B NO.1 94.9	2B NO.1 148	2B NO.1 195		NO.1 297
★ 5.0	2B NO.1 79.8	2B NO.1 119	2B NO.1 185	2B NO.1 243		NO.1 371
★ 6.0	2B NO.1 95.8	2B NO.1 142	2B NO.1 222	2B NO.1 292	NO.1 383	※NO.1 613
★ 7.0				NO.1 341		
★ 8.0	NO.1 128	NO.1 190	NO.1 297	NO.1 389	NO.1 511	
★ 9.0	NO.1 144	NO.1 213	NO.1 334	NO.1 438	NO.1 575	※NO.1 920
★ 10.0	NO.1 160		NO.1 371	NO.1 486	NO.1 638	※NO.1 1022
★ 12.0	NO.1 192		NO.1 445	NO.1 584	NO.1 766	※NO.1 1227
★ 14.0			NO.1 519	NO.1 681	NO.1 894	
★ 15.0			NO.1 556	NO.1 730	NO.1 958	
★ 16.0			NO.1 593	NO.1 778	NO.1 1021	
★ 18.0			NO.1 667	NO.1 876	NO.1 1149	
★ 19.0			NO.1 704	NO.1 924	NO.1 1213	
★ 20.0			NO.1 741	NO.1 973	NO.1 1277	
★ 22.0			NO.1 816	NO.1 1070	NO.1 1404	
★ 25.0			NO.1 927	NO.1 1216	NO.1 1596	
★ 28.0			NO.1 1038		NO.1 1788	
★ 30.0			NO.1 1112		NO.1 1915	
★ 32.0			NO.1 1186		NO.1 2043	
★ 35.0			NO.1 1297		NO.1 2234	
★ 38.0			NO.1 1409		NO.1 2426	
★ 40.0			NO.1 1483		NO.1 2554	
★ 45.0			NO.1 1668		NO.1 2873	
★ 50.0			NO.1 1853		NO.1 3192	
★ 55.0			NO.1 2039		NO.1 3511	
★ 60.0			NO.1 2224		NO.1 3830	
★ 65.0					NO.1 4150	
★ 70.0					NO.1 4469	
★ 75.0					NO.1 4788	
★ 80.0					NO.1 5107	
★ 85.0					NO.1 5426	
★ 90.0					NO.1 5746	
★ 100.0					NO.1 6384	

注) ★印 : 切断可能商品です。

SUS309S 板材(2B・NO.1) JIS G 4305 JIS G 4304

単位: kg/枚

寸法 板厚	1000mm × 2000mm	1219mm × 2438mm	1524mm × 3048mm	1524mm × 4000mm	2000mm × 4000mm
1.0	2B 16.0				
1.2	2B 19.2				
1.5	2B 23.9	2B 36.0			
★ 2.0	2B 31.9	2B 47.4			
★ 3.0	2B NO.1 47.9	2B NO.1 71.1	NO.1 111	NO.1 146	
★ 4.0	NO.1 63.8	NO.1 94.9		NO.1 195	
★ 5.0	NO.1 79.8	NO.1 119		NO.1 243	
★ 6.0	NO.1 95.8	NO.1 142	NO.1 222	NO.1 292	NO.1 383
★ 8.0			NO.1 297	NO.1 389	NO.1 511
★ 9.0	NO.1 144			NO.1 438	NO.1 575
★ 10.0				NO.1 486	
★ 12.0			NO.1 445	NO.1 584	
★ 15.0				NO.1 730	NO.1 958
★ 16.0			NO.1 593	NO.1 778	NO.1 1021
★ 18.0				NO.1 876	NO.1 1149
★ 19.0				NO.1 924	NO.1 1213
★ 20.0				NO.1 973	NO.1 1277
★ 22.0				NO.1 1070	
★ 25.0				NO.1 1216	
★ 30.0				NO.1 1450	
★ 35.0			NO.1 1297		
★ 40.0			NO.1 1483		
★ 45.0			NO.1 1668		
★ 50.0			NO.1 1853		

注) ★印: 切断可能商品です。

SUS310S 板材(2B・NO.1) JIS G 4305 JIS G 4304

単位: kg/枚

寸法 板厚	1000mm × 2000mm	1219mm × 2438mm	1524mm × 3048mm	1524mm × 4000mm	2000mm × 4000mm
0.5	2B 7.98				
0.8	2B 12.8				
1.0	2B 16.0	2B 23.7			
1.2	2B 19.2	2B 28.5			
1.5	2B 23.9	2B 35.6			
★ 2.0	2B 31.9	2B 47.4	2B 74.1	2B 97.3	
★ 3.0	2B NO.1 47.9	2B NO.1 71.1	NO.1 111	NO.1 146	
★ 4.0	NO.1 63.8	NO.1 94.9	NO.1 148	NO.1 195	
★ 5.0	NO.1 79.8	NO.1 119	NO.1 185	NO.1 243	
★ 6.0	NO.1 95.8	NO.1 142	NO.1 222	NO.1 292	NO.1 383
★ 8.0	NO.1 128	NO.1 190	NO.1 297	NO.1 389	NO.1 511
★ 9.0	NO.1 144	NO.1 213	NO.1 334	NO.1 438	NO.1 575
★ 10.0	NO.1 160	NO.1 237	NO.1 371	NO.1 486	NO.1 638
★ 12.0	NO.1 192	NO.1 285	NO.1 445	NO.1 584	NO.1 766
★ 14.0				NO.1 681	NO.1 894
★ 15.0				NO.1 730	NO.1 958
★ 16.0			NO.1 593	NO.1 778	NO.1 1021
★ 18.0					NO.1 1149
★ 19.0				NO.1 924	NO.1 1213
★ 20.0			NO.1 741	NO.1 973	NO.1 1277
★ 22.0			NO.1 816		NO.1 1404
★ 25.0			NO.1 927	NO.1 1216	NO.1 1596
★ 28.0			NO.1 1038		NO.1 1788
★ 30.0			NO.1 1112		NO.1 1915
★ 35.0			NO.1 1297		NO.1 2234
★ 40.0			NO.1 1483		NO.1 2554
★ 45.0			NO.1 1668		NO.1 2873
★ 50.0			NO.1 1853		NO.1 3192

注) ★印: 切断可能商品です。